

# SPIRALIS

Partitions and Bespoke Solutions

FREE YOUR IMAGINATION  
REALISE YOUR VISION



# P50- BROOKLYN

Product Summary




## PRODUCT INFORMATION


- Demountable partition
- Single glazed but can be fitted with a double glazed door
- Small aluminium framework
- Quick and easy to install with only a small number of profiles
- Numerous door options
- Can be integrated with P50
- Manufactured in Spiralis' factory in Italy

## ACOUSTIC INFORMATION


- Able to achieve RW38db using 12.8mm acoustic laminated glass
- Double glazed pivot door achieves RW36db




SINGLE GLAZED OFFSET PIVOT DOOR  
12mm toughened glass



BROOKLYN SECTION  
50mm x 50mm



BROOKLYN SECTION  
100mm x 50mm



WALL ABUTMENT TO SOLID PANEL TO BROOKLYN SECTION  
10mm toughened glass



# PRODUCT OVERVIEW

## P50 BROOKLYN SYSTEM

Head channel details	→	Single glazed Finish: Standard black finish <i>(can come in different finishes upon request)</i> Size: 50mm x 50mm
Base channel details	→	Single glazed Finish: Standard black finish <i>(can come in different finishes upon request)</i> Size: 50mm x 50mm
Deflection head options	→	N/A
Glass thickness	→	Single glazed glass can come in either 10mm or 12mm clear float toughened or low iron toughened. For acoustic laminated the glass comes as 10.8mm, or 12.8mm.
Door types	→	Single glazed sliding door Single and double glazed pivot door Timber door at 44 or 54mm
Glass sizes	→	As standard module sizes we work between 200mm and 1200mm. Maximum height is 3000mm. <i>For further glass sizes, please speak to our technical department. (Please note that some sizes are subject to the building configuration and access to the building)</i>
Acoustic ratings	→	Single glazed: Rw 34db 10mm toughened glass Rw 38db 12.8mm acoustic laminate glass  <i>For our certificates please go to our site</i>

**Spiralis Europe Ltd**  
15 Newport Street  
London  
Se11 6AJ

[www.spiraliseurope.com](http://www.spiraliseurope.com)  
[info@spiraliseurope.com](mailto:info@spiraliseurope.com)  
020 3764 5151