

SPIRALIS

Partitions and Bespoke Solutions



FREE YOUR IMAGINATION
REALISE YOUR VISION

Z6

Product Summary




PRODUCT INFORMATION


- Demountable partition
- Single glazed and double glazed
- Can be integrated into ceiling and floor as well as being non integrated
- Numerous door options
- Double glazed sliding door in a double glazed 60mm system
- Manufactured in Spiralis' factory in Italy

ACOUSTIC INFORMATION


- Able to achieve RW43db using 12.8mm and 10.8mm acoustic laminate glass
- Double glazed sliding door achieves RW35db




DOUBLE GLAZED PARTITION
12.8 mm acoustic laminate glass
Ceiling tile option and plasterboard option




DOUBLE GLAZED SLIDING DOOR IN
DOUBLE GLAZED PARTITION
Integrated



DOUBLE GLAZED SLIDING DOOR IN
DOUBLE GLAZED PARTITION
Non - Integrated



WALL ABUTMENT
Deflection - $\pm 5\text{mm}$



DOUBLE GLAZED SLIDING DOOR
Sliding door with magnetic gaskets

PRODUCT OVERVIEW

Z6 SYSTEM

Head channel details	□————→	Single glazed and Double glazed - Integrated Finish: Standard aluminium anodised Size: 90mm x 73mm Single glazed and Double glazed- Non Integrated Finish: Standard aluminium anodised Size: 63mm x 72-117mm
Base channel details	□————→	Single glazed and Double glazed - Integrated Finish: Standard aluminium anodised Size: 80mm x 38mm Single glazed and Double glazed- Non Integrated Finish: Standard aluminium anodised Size: 64mm x 18mm
Deflection head options	□————→	For the 72mm head channel there is a ± 10 mm deflection For the 117mm head channel there is a ± 25 mm deflection
Glass thickness	□————→	Single glazed and double glazed glass can come in either 10mm or 12mm clear float toughened or low iron toughened. For acoustic laminated the glass comes as 10.8mm, or 12.8mm.
Door types	□————→	Double glazed sliding door Double glazed pivot door
Glass sizes	□————→	As standard module sizes we work between 200mm and 1200mm. Maximum height is 3000mm. <i>For further glass sizes, please speak to our technical department. (Please note that some sizes are subject to the building configuration and access to the building)</i>
Acoustic ratings	□————→	Single glazed: Rw 34db 10mm toughened glass Rw 36db 12.8mm acoustic laminate glass Double glazed: Rw 38db 10mm + 10mm toughened glass Rw 43db 10.8mm + 12.8mm acoustic laminate glass

For our certificates please go to our site

Spiralis Europe Ltd

15 Newport Street
London
Se11 6AJ

www.spiraliseurope.com
info@spiraliseurope.com
020 3764 5151